Monitoring prioritization in a public health care sector

Jan Erik Askildsen · Oddvar Kaarbøe · Tor Helge Holmås





The Stein Rokkan Centre for Social Studies (the Rokkan Centre) runs a publication series consisting of two parts, Reports and Working Papers, in addition to a Reprint series. The Director of the Rokkan Centre together with the Research Directors form the editorial board of the publication series.

The editorial board is responsible for classification of publications as Reports or Working Papers.

The Report series includes scientific papers, such as final reports on research projects. Manuscripts are assessed by the editorial board or a senior researcher appointed by the board.

The Working Paper series includes working papers, lecture transcripts and seminar papers. The manuscripts published as Working Papers are approved by project managers.

The Reprint series includes papers that have previously appeared in academic journals or books.

ISSN 1503-0946

ROKKANSENTERET NYGÅRDSGATEN 5 N-5015 BERGEN TEL. +47 55 58 97 10 FAX +47 55 58 97 11

E-MAIL: POST@ROKKAN.UIB.NO WWW.ROKKANSENTERET.UIB.NO

Monitoring prioritization in a public health care sector*

JAN ERIK ASKILDSEN

ODDVAR KAARBØE

TOR HELGE HOLMÅS

STEIN ROKKAN CENTRE FOR SOCIAL STUDIES

HEALTH ECONOMICS BERGEN – HEB

UNIFOB AS

DECEMBER 2008

Working Paper 17 - 2008

^{*} The authors thank John Goddeeris for helpful comments. The paper has also benefited from presentation ASHE (2008) and ECHE (2008).

Contents

Abstract	3
1. Introduction	4
2. MONITORING PRIORITIZATION BY USE OF EXPLICIT GUIDELINES	5
3. MONITORING PRIORITIZATION — AN EXAMPLE	6
3.1 Institutional background	6
3.2 Data	8
3.3 Empirical analysis	12
4. Concluding remarks.	15
References	17

Abstract

This paper presents a new way to monitor priority settings in public health care systems. We take departure in medical guidelines prescribing acceptable waiting times for different medical descriptions. Allocating ICD10 codes to the medical descriptions, we are able to compare actual waiting times to the recommended maximum waiting times. This way we use the medical guidelines as a tool for monitoring prioritization in the health sector. In an application, using data from the Norwegian patient register (NPR), we test statistically for compliance with the guidelines. The results indicate some degree of over-prioritization for patients of lower priority relative to patients of higher priority.

JEL classification code: I12, I18

Keywords: Prioritization, waiting time, public health care system Corresponding author: Tel.: +45-55589218; fax +47-55589210,

e-mail: jan.askildsen@econ.uib.no (J.E. Askildsen)

1. Introduction

A distinguishing feature of a public health care sector is limited availability of resources. The government or other public bodies decide on total capacity in terms of given budgets. Access to care is free for patients, or they face a low copayment only. Demand is then at any given moment in time likely to exceed supply in terms of short run treatment capacity. The basic reason for this is that the patients are not rationed by price. Instead there are waiting lists. Health care providers will then have to make decisions on which patients and diagnoses to be given treatment, and in which order.

There are several ways that this prioritization can be organized. Some countries have explicit waiting-time prioritization for certain types of treatments (Hurst and Siciliani 2005, Gravelle and Siciliani 2008). Examples include Sweden, Spain, Italy, Australia, New Zealand, Canada, Denmark and Norway. In some of these countries, prioritization schemes have a limited number of categories; (high and low priority in Denmark, Sweden, and Spain; recommended admission within 30 days, 90 days, and 1 year in Australia and Italy). Other countries have developed systems where patients receive points, and patients with higher scores have shorter waiting times, (New Zealand and Canada). In England, an elective surgery waiting time target was introduced in 2000. The target has been progressively reduced from 18 months in March 2000 to the current 6 months target (Appleby et al. 2005).

In Norway, priority setting is regulated by the «Act on Patients Rights» and corresponding administrative regulations. These official regulations stipulate that patients referred to hospitals by primary care physicians have the right to an evaluation of their medical condition, including an assessment of whether their condition is such that a right to treatment should be given. If so, the patient shall be given an individually fixed maximum waiting time until treatment starts. This right to treatment, within a given time limit, should be based on medical considerations only. Short run capacity for treatment or other personal characteristics of the patients should not be taken into consideration.

While several countries have developed systems for priority setting that are meant to improve welfare, less attention has been paid to developing methods that can shed light on the agreement between actual prioritization of patients and the administrative regulations.¹ According to our knowledge, there are also few academic studies that evaluate to which extent actual prioritization is in accordance with administrative regulation. When such studies are carried through, they are often done by examining

¹ It is not trivial to derive optimal length of waiting lists, and on theoretical grounds show which patients that should wait for a short period and which patients may face a longer wait. Gravelle and Siciliani (2008) show that it may be welfare improving to prioritize on observable characteristics, and that prioritization of patient groups should be governed by how sensitive they are to length of waiting time, and their costs of waiting.

patients' medical record. This research strategy is costly, and often the studies are done on a small sample, see e.g. Arnesen et al. (2002). ²

In this paper we propose a new method to monitor prioritization in the public health care sector. We use medical guidelines and allocate ICD10 codes to the medical descriptions, which enables us to compare actual waiting times to the recommended maximum waiting times. Using medical guidelines as a tool to monitor prioritization implies that length of medically accepted waiting time signals prioritization. The method is relatively inexpensive in use, as it utilizes data from already existing data sources. To illustrate how the method works, we provide an application, based on data from the Norwegian patient register (NPR) covering inpatient treatment at all (public) hospitals in Norway. Specifically we examine whether patients belonging to different prioritization groups, ordered by medically maximum acceptable waiting times, wait shorter or longer than this waiting time.

The next section outlines some methodological issues related to monitoring prioritization by use of medical guidelines. In section 3 we present an example of how prioritization can be monitored by using Norwegian in-patient hospital data. Section 4 offers some concluding remarks and avenues for further research.

Monitoring prioritization by use of explicit guidelines

In a publicly-funded health care system, elective patients either arrive at a hospital specialist for assessment, or in a gate-keeper system, patients are referred to further treatment from a primary care physician (Hurst and Siciliani 2005). In the latter case, after assessing a written referral, the hospital specialist must decide which patients that meet whatever thresholds and add these patients to the waiting list.

Often thresholds are determined by clinical conditions like severity of condition, expected benefit, need, urgency, the decay rate of the disease, and the time already spent on the list (Hurst and Siciliani 2005). The tools developed might be more or less formalized, where more formalized systems often include ratings which assign a score to the need of each patient. Scores may be used for prioritizing, such that patients receiving more points should be treated earlier, and within a shorter maximum waiting time.

In Norway, two (of the four) health regions have carried through projects aimed at developing guidelines for the prioritization of patients, based on the criteria stated in the existing prioritization regulations. The medical guidelines cover 21 medical specialities. Based on descriptions of relevant medical conditions, a patient prioritization status is indicated by prescribing a maximum waiting time before treatment is to start. Some patients are not granted a maximum waiting time, indicating a condition with lower

² Dimakou et al (2008) study the impact of government targets on waiting times in the NHS. More specifically they analyze how the probability of admission of any given patient vary during the time they wait. They find that hazard rates vary over time and that peaks in them, high probability of admission, coincide with targets and change when targets change.

medical prioritization status. In Table 1 we present two examples from the medical guidelines.

Table 1: Examples, medical guidelines

Patient group	Maximum waiting time (weeks)
Mb. Bekhterev	8–16
Long-lasting coughing	26

From Table 1 we note that the descriptions of the medical diseases can be more or less precise (Mb. Bekhterev versus long-lasting coughing). Furthermore, the maximum waiting time can be more or less unambiguous (8–16 weeks versus 26 weeks).³ Note also that the medical guidelines do not contain any International Classification of Disease-coding, which is necessary for tracking patients in official registers. However, with assistance from the medical profession, it is possible to map ICD-codes to the medical descriptions. The mapping allows a comparison of actual waiting times to the maximum waiting times prescribed in the medical guidelines. This way the medical guidelines can be used as a tool to measure and monitor prioritization in the health sector, e.g. analyse whether high priority patients actually have shorter waiting times than low priority patients, whether there are geographical differences in the prioritization practice, or how prioritization develop over time.

3. Monitoring prioritization – an example

In this section we use Norwegian in-patient data to demonstrate how medical guidelines can be used to monitor prioritization practice in the health care sector⁴.

3.1 Institutional background

The Norwegian specialised health care sector is predominantly publicly owned, and as of 2002 organised as state owned enterprises within five (north, mid, west, south, east; four from June 2007 when south and east were merged) regional health authorities. The regional health authorities have the responsibility for providing specialist health care to all patients within the region.⁵ Provision of this health care is organised through health enterprises owned and governed by the regional enterprises. The regional health authorities can also contract with private suppliers for providing treatment. However, this outsourcing is in effect quite small compared the overall treatment activity, and

³ One reason for this is that the assessment of a patient's condition includes an evaluation of the reduced quality of living if treatment is postponed. This clearly will depend on the individual patient's ability of handle pain. Hence, in some cases a clear cut maximum waiting time cannot be decided.

⁴ In Askildsen, Holmås and Kaarbøe (2007) we use this method to analyse how a large hospital reform affected prioritization practice in the Norwegian hospital sector.

⁵ See Hagen and Kaarbøe (2006) and Magnussen et al (2007) for more detailed descriptions of the Norwegian hospital sector and the 2002-reform where hospital ownership was transferred from the county councils to the central government.

confined to a few diagnoses. Another important feature is the patents» right to free choice of hospital, in effect at a national level as of 2001. However, relatively few patients seem to have opted for the possibility of receiving treatment outside of the hospitals' natural catchment areas (see Kjerstad and Kristiansen (2005) and Vrangbæk et al. (2007)).

According to administrative regulations, hospital patients may be categorized into one of the following categories:

- 1. Acute care (AC)
- 2. Elective treatment, with individual maximum waiting time (elective with)
- 3. Elective treatment, without individual maximum waiting time (elective without)
- 4. Other health care services that may be demanded

In addition to AC-patients, for whom the hospitals must deliver health care services, it is patients in priority group two (elective with) that comprises the core health care supply of the public hospitals. But also patients in group three (elective without) have the right to treatment. It is only demand from patients in group four that are excluded from the mandatory activities of the public health enterprises. For elective patients, the administrative regulations establish that upon referral, the assessment of a patient's condition must consider:

- I. how serious is the condition (seriousness)
- II. whether a suitable treatment exists that may improve the patient's condition (effect of treatment)
- III. the cost-effectiveness of this treatment.

For each patient that is referred, all three criteria must be considered. Based on them, patients are divided into group 2 or 3, giving the patients the right to elective treatment «with» or «without» a maximum waiting time. For patients within group two, a finer grouping grants them an individual medically acceptable maximum waiting time before treatment is to take place. This maximum waiting time we use as a proxy for prioritization, in the sense that medical conditions which demand short waiting time are considered as diagnoses with high treatment priority, independent of other patient characteristics.

Patients receiving treatment at the public hospitals are either acute care patients, or they are elective patients referred to further treatment from a primary care physician (group 1–3). Thus, there is gate-keeper system regulating the access to planned treatment. The «Act on Patients Rights» and corresponding administrative regulations, in effect from 2001, determine in general terms the rule for vertical prioritization of referred elective patients. The allocation of prioritization status to elective patients is formally managed the following way. Upon receipt of a referral, the hospital has to consider within 30 days whether the patient belongs to group 2 or 3, or whether (s)he should not receive treatment at all. This decision is based on the description of the medical condition given by the primary care physician. Each patient is to be considered according to the priority regulations, implying an evaluation of seriousness, treatment potentials and cost-effectiveness, criteria I-III above. If the patient is considered to belong to group 2 (elective with), an individual maximum waiting time is given before treatment starts. If waiting time is exceeded, the patient has the right to file a complaint. The hospital is then given a short time frame for providing treatment. If treatment is

still not given, the patient can choose treatment another place, privately, publically or abroad, at the cost of the initial health enterprise.

There exist, however, no publicly endorsed guidelines outlining which medical conditions that give the right to elective treatment⁶. Still the physicians at the hospitals must decide on the individual treatment status, and allocate rights to treatment. In this paper we have taken departure in the medical guidelines developed by one of the Norwegian health authorities, Health Region West⁷. This region covers about 22 % of the population in Norway. The medical guidelines cover 21 medical specialities, and based on descriptions of possible medical conditions, patient prioritization status were indicated.⁸.

3.2 Data

The empirical analysis makes use of individual in-patient data from the Norwegian Patient Register (NPR) over the period 2003–2006. From these individual level records we have information on waiting time and patient characteristics such as age, gender, and main and secondary diagnoses. However, not all observations are included in the analysis. First, we only focus on hospitalized surgical patients. Second, we only include the first hospital stay for each patient each year. Third, patients with waiting times longer than 2 years were dropped. Lastly, we drop patients with missing observations. After excluding these observations, we are left with a total of 313,946 surgical patients hospitalised at 54 different hospitals. By adding ICD10 codes to the medical guidelines we are able to merge individual patient information from NPR to information on corresponding maximum acceptable waiting time from the medical guidelines. However, to ensure that there is a one-to-one relationship between the medical guidelines and the IDC10-codes some patient stays had to be dropped. This follows because sometimes the same ICD10-code can be used to describe more than one medical condition, and these conditions may give different maximum waiting times. In addition, maximum waiting times are in some cases given with a relative large band (e.g. between 4-30weeks) and these diagnoses are also dropped.

The next table compares the total number of patient stays and the sample of patients for whom we also have information on maximum waiting times (from the medical guidelines). We first notice that our sample is very large, consisting of about 46 percent of the total patient population (145,228 patients out of a total of 313,946). We further see that there are some differences between the sample and the patient population regarding the distribution of patients over ICD10 chapters.

⁶ Directorate for Social and Health Affairs (SHDir) has initiated the project «Better prioritization in the hospital sector», considering medical conditions that should give patients treatment rights according to the prioritization regulations. This project is still ongoing (October 2008).

⁷ A potential problem is that medical guidelines developed in one health region might be affected by access to medical staff and medical equipment (capacity constraints), and that capacity constraints wary systematically among regions. However, a study done by Sveri (2006) suggested that capacity constraints where not taken into consideration when the maximum waiting times were set.

⁸ We are grateful to Jacob Mosvold, consultant physician at «Diakonhjemmet» hospital (Oslo) for translating descriptions of medical conditions into relevant ICD10-codes, and to professor in medicine Ole Frithjof Norheim for advice in use of the prioritization guidelines. See Askildsen, Holmås and Kaarbøe (2007) and Nordheim (2005) for further documentation.

Table 2: The number of stays per chapter in ICD10, total and sample

	All stays		Sample	
Chapters in ICD-10	Number of obs.	Percent	Number of obs.	Percent
Certain infectious and parasitic diseases (A00-B99)	263	0.08	33	0.02
Neoplasms (C00-D48)	58,499	18.63	30,590	21.05
Diseases of the blood (D50-D89)	217	0.07	86	0.06
Endocrine, nutritional and metabolic diseases (E00-E90)	5,491	1.75	3,741	2.58
Mental and behavioural disorders (F00-F99)	519	0.17	2	0.00
Diseases of the nervous system (G00-G99)	5,066	1.61	1,446	1.00
Diseases of the eye (H00-H59)	8,596	2.74	4,764	3.28
Diseases of the ear (H60-H95)	3,367	1.07	2,370	1.63
Diseases of the circulatory system (100-199)	30,582	9.74	13,324	9.17
Diseases of the respiratory system (J00-J99)	24,655	7.85	19,639	13.52
Diseases of the digestive system (K00-K93)	26,859	8.56	10,129	6.97
Diseases of the skin (L00-L99)	2,920	0.93	34	0.02
Diseases of the musculoskeletal system (M00-M99)	61,811	19.69	32,636	22.47
Diseases of the genitourinary system (N00-N99)	43,765	13.94	16,835	11.59
Pregnancy (000-099)	7,777	2.48	1,642	1.13
Certain conditions originating in the perinatal period (P00-P96)	138	0.04	3	0.00
Congenital malformations (Q00-Q99)	7,420	2.36	1,358	0.93
Symptoms, signs (R00-R99)	2,933	0.93	479	0.33
Injury, poisoning (S00-T98)	18,472	5.88	6,097	4.20
External causes (V0n-Y98)	5	0.00	0	0.00
Factors influencing health status (Z00-Z99)	4,591	1.46	20	0.01
Number of observations	313,946	100.00	145,228	100,00

However, despite some differences, the sample seems to be a fairly representative sample of the total population of hospitalized surgical patients in Norway. Lastly, for some ICD10 chapters there are few observations and we therefore drop patients within the following 7 chapters: A00-B99, D50-D89, F00-F99, L00-L99, P00-P96, V0n-Y98 and

Z00-Z99. Our final sample than consists of 145,050 patients, and we allocate these patients onto four groups according to the recommended maximum waiting time in the medical guidelines. This categorising implies that patients in prioritization group 1 (patients with maximum waiting time of 0-4 weeks) have the highest priority, while patients in group 4 (patients with maximum waiting time higher than 27 weeks) have lowest priority. From Table 3 we see that the majority of the patients fall into prioritization group 1 to 3, implying that these patients should receive treatment within 26 weeks.

Table 3: The prioritization groups

Prioritization group	Number of patients	Recommended maximum waiting time
1	20,861	0 – 4 weeks
2	54,040	5 – 12 weeks
3	56,469	13 – 26 weeks
4	13,680	More than 27 weeks

Table 4 shows how the patients in the sample are allocated among the prioritization groups within the ICD10-chapters included in the analysis.

Table 4: The number of patients allocated to the different prioritization groups according to the ICD10-chapters. The sample analysed.

Chapter ICD-10	Group 1	Group 2	Group 3	Group 4
Neoplasms (C00-D48)	13,420	10,107	7,096	-
Endocrine, nutritional and metabolic diseases (E00-E90)	1,285	2,455	-	-
Diseases of the nervous system (G00-G99)	1,262	182	-	-
Diseases of the eye (H00-H59)	-	-	-	4,764
Diseases of the ear (H60-H95)	-	1,233	-	1,137
Diseases of the circulatory system (100-199)	2,719	7,234	2,508	862
Diseases of the respiratory system (J00-J99)	4	19,379	21	235
Diseases of the digestive system (K00-K93)	39	6,412	3,228	450
Diseases of the musculoskeletal system (M00-M99)	-	609	25,812	6,215
Diseases of the genitourinary system (N00-N99)	1,523	5,368	9,943	-
Pregnancy (O00-O99)	598	122	922	-
Congenital malformations (Q00-Q99)	-	880	450	-
Symptoms, signs (R00-R99)	11	59	407	2
Injury, poisoning (S00-T98)	-	-	6,082	15
Number of observations	20,861	54,040	56,469	13,680

Because patients with different diagnoses are allocated into the prioritization groups according to recommended maximum waiting time, we expect patients in group one also to experience the shortest waiting times, and that patients in group four experience the longest waiting times. If we observe that waiting times increase as we move from highest (1) to lowest (4) prioritization group, we will conclude that the health enterprises prioritize in relative terms according to the administrative regulations of prioritization.

In table 5 we show average waiting times for the patients in the four prioritization groups. We see that patients in priority group 1 wait on average 68 days, and that waiting time for groups 2, 3 and 4 are increasing in lower priority status. Furthermore we see that waiting times for groups 1 and 2 are higher than the medically accepted maximum waiting time. For groups 3 and 4 average waiting time is on the other hand shorter than recommended, and in particular for group 4 there is considerable deviation. The differences in average waiting times therefore indicate some degree of over-prioritization for patients of lower priority relative to patients of higher priority. Looking at the proportion of patients waiting longer than the maximum acceptable waiting time reinforces this impression. As many as 45 percent of the patients in priority group 1 experience excessive waiting times, while the corresponding number is only 10 percent for patients in priority group 4.

	Average waiting time (standard deviance)	Proportion waiting longer than the maximum acceptable waiting time	Maximum acceptable waiting days
Priority group 1	68 (108)	0.45	28
Priority group 2	109 (122)	0.40	84

0.30

0.10

182

365

Table 5: Average waiting time in days for priority groups, 2003–2006

3.3 Empirical analysis

Priority group 3

Priority group 4

153 (134)

169 (142)

The descriptive statistics indicate an over-prioritization of low priority patients relative to patients of higher priority. However, because patients in high priority groups suffer from more severe conditions than patients in low priority groups, just looking at descriptive statistics will probably lead us to underestimate the degree of overprioritization. Therefore, correcting for case-mix seems important and to do this we apply two simple econometric models. In the first model we focus on individual waiting times, estimating a fixed effect model where we control for patient case mix and hospital, municipality and time fixed effects. Using this specification we control for observed and unobserved time-invariant hospital characteristics that might be correlated with the prioritization decision as well as with waiting time. By including municipality and year dummies we also control for municipality specific time constant effects (like distance to the hospital) and common time trends in the prioritization practice. In the second model we focus on the probability that patients wait longer than the recommended maximum waiting time. We estimate a probit model where we control for patient case mix and hospital, municipality and time characteristics by including dummy variables for hospitals, municipalities and years in the regression. A problem with unconditional fixed effect probit models is that the estimated effects might be severely biased. However, Monte Carlo evidence (see e.g. Greene 2002, Arellano and Honore 2001) suggests that this bias drops off rapidly as the number of observation per group increases above three and is substantially reduced even at 20 observations per group. Having an average of 2480 patients per hospital, we assume that this bias is insignificant in our analysis.

What should we expect given that actual prioritization is consistent with the medical guidelines? Obviously a necessary condition for correct prioritization is that patients that are given higher prioritization wait shorter than lower prioritized patients, i.e., $\operatorname{wt}^i \leq \operatorname{wt}^i$, i = 1,2,3, j = i+1, where wt^i (wt) denotes the waiting time of prioritization group i (j). In addition $\operatorname{wt}^i \leq \operatorname{wt}^{i,max}$, where $\operatorname{wt}^{i,max}$ denotes the maximal waiting time for group i. A similar condition holds for group j. In the probit model correct prioritization implies that no patient waits longer than the maximum waiting time. A weaker condition is that the probability of excessive wait is higher the lower prioritized the group is.

The results from the analyses of waiting time (model 1) and the probability of waiting longer than what is medically recommended (model 2, marginal effects) are presented in Table 6. We start by looking at the effect of some of the individual background

variables, which we think are of interest on its own merit in this context. In this discussion we focus primarily on the results from model 1. We see that older and younger patients wait shorter than the reference group (age 30-66). The effect is largest for the youngest (0-14) and the oldest age group (older than 80) with estimated average waiting time of about 27.5 and 24.5 days shorter than the reference group, respectively. Also notice that waiting times decrease in number of secondary diagnoses. This finding might be due to seriousness of condition, and if so, in accordance with prioritization guidelines. Somewhat surprisingly we find, after controlling for case-mix, that males have about 4 days longer waiting times than females.

Turning to the effect of hospital characteristics, our results indicate that waiting times are longer at larger hospitals (measured as number of beds) and that waiting times decrease in number of employees. However, the effects are relatively small and due to potential endogeneity problems the results should be interpreted with some caution⁹.

We find that waiting time is reduced over time. This may be due to larger budgets to the hospital sector, higher productivity, or other factors that affect decisions to put patients in line for treatment.

Turning to the main question, which is whether patients who according to the medical guidelines should be given the highest priority experience the shortest waiting time, we see that the regression results are in line with the descriptive findings reported in Table 5. In the regression models we use prioritization group 1 as the reference group. From the estimates (model 1) we see that waiting time for patients in group 2, 3 and 4 are increasing in lower priority status. Compared to the means presented in Table 5, the differences in waiting times between prioritization groups are smaller (as expected), indicating an even larger over-prioritization of patients suffering from the least severe conditions relative to patients of higher priority than was suggested by the descriptive statistics.

The results from model 2 seem to confirm this result. We see that the likelihood of excessive waiting times (compared to the medical recommendations) is about 25 percent lower for patients in group 2 than for patients in group 1. The corresponding numbers for patients in group 3 and 4 are about 30 and 34 percent, respectively. If prioritization practice were in line with the medical guidelines, we would expect the probability for excessive waiting for priority group 1 to be lower, or equal, to the equivalent probability for the lower priority groups. As our results are to the contrary, we conclude that patients suffering from the most severe conditions wait longer than they should and thereby are under-prioritized in the Norwegian health care sector relative to patients of lower priority.

⁹ Excluding these variables from the regressions do only marginally affect other results.

Table 6: Regression results: waiting time (model 1) and probability that patients wait longer than the recommended maximum waiting time, marginal effects (model 2).

Number secondary diagnoses -0.742*** (0.271) -0.003*** (0.001) Age (Reference category: age 30–66): Age 80 + -24.503*** (1.140) -0.080*** (0.005) Age 67–80 -13.127*** (0.849) -0.046*** (0.004) Age 15–29 -4.848*** (1.516) -0.031*** (0.006) Age 0–14 -27.495*** (1.508) -0.099*** (0.005) Prioritisation groups (Reference category: group 1): Group 2 5.708*** (1.260) -0.250*** (0.005) Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the circulatory system (100-199) -55.405*** (1.593) 0.152*** (0.006)		Model 1	Model 2
DRG-weight -2.606*** (0.251) -0.007*** (0.001) Number secondary diagnoses -0.742*** (0.271) -0.003*** (0.001) Age (Reference category: age 30–66): Age 80 + -24.503*** (1.140) -0.080*** (0.005) Age 67–80 -13.127*** (0.849) -0.046*** (0.004) Age 15–29 -4.848*** (1.516) -0.031*** (0.006) Age 0–14 -27.495*** (1.508) -0.099*** (0.005) Prioritisation groups (Reference category: group 1): Group 2 5.708*** (1.260) -0.250*** (0.005) Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the circulatory system (I00-199) -55.405*** (1.593) -0.152*** (0.006)	Individual characteristics:		
Number secondary diagnoses	Male	4.095*** (0.727)	0.014*** (0.003)
Age (Reference category: age 30–66): Age 80 + -24.503*** (1.140) -0.080*** (0.005) Age 67–80 -13.127*** (0.849) -0.046*** (0.004) Age 15–29 -4.848*** (1.516) -0.031*** (0.006) Age 0–14 -27.495*** (1.508) -0.099*** (0.005) Prioritisation groups (Reference category: group 1): Group 2 5.708*** (1.260) -0.250*** (0.005) Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	DRG-weight	-2.606 ^{***} (0.251)	-0.007*** (0.001)
Age 80 + -24.503*** (1.140) -0.080*** (0.005) Age 67-80 -13.127*** (0.849) -0.046*** (0.004) Age 15-29 -4.848*** (1.516) -0.031*** (0.006) Age 0-14 -27.495*** (1.508) -0.099*** (0.005) Prioritisation groups (Reference category: group 1): Group 2 5.708*** (1.260) -0.250*** (0.005) Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Number secondary diagnoses	-0.742*** (0.271)	-0.003*** (0.001)
Age 67–80	Age (Reference category: age 30–66):		
Age 15–29	Age 80 +	-24.503*** (1.140)	-0.080*** (0.005)
Age 0–14	Age 67–80	-13.127 ^{***} (0.849)	-0.046*** (0.004)
Prioritisation groups (Reference category: group 1): Group 2 5.708*** (1.260) -0.250*** (0.005) Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Age 15–29	-4.848 ^{***} (1.516)	-0.031*** (0.006)
Group 2 5.708*** (1.260) -0.250*** (0.005) Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Age 0–14	-27.495 ^{***} (1.508)	-0.099*** (0.005)
Group 3 54.989*** (1.346) -0.304*** (0.006) Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Prioritisation groups (Reference category: group 1):		
Group 4 49.599*** (2.056) -0.335*** (0.004) Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Group 2	5.708*** (1.260)	-0.250*** (0.005)
Main chapters ICD10 (Reference category: Diseases of the musculoskeletal system (M00-M99)): Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Group 3	54.989*** (1.346)	-0.304*** (0.006)
Neoplasms (C00-D48) -87.115*** (1.397) -0.336*** (0.005) Endocrine, nutritional and metabolic diseases (E00-E90) 0.034 (2.426) 0.087*** (0.011) Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) Diseases of the eye (H00-H59) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Group 4	49.599*** (2.056)	-0.335*** (0.004)
Endocrine, nutritional and metabolic diseases (E00-E90)	Main chapters ICD10 (Reference category: Diseases of the r	musculoskeletal systen	n (M00-M99)):
Diseases of the nervous system (G00-G99) 36.853*** (3.656) 0.142*** (0.019) -26.633*** (2.563) - Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Neoplasms (C00-D48)	-87.115 ^{***} (1.397)	-0.336*** (0.005)
Diseases of the eye (H00-H59) -26.633*** (2.563) Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) -55.405*** (1.593) -0.152*** (0.006)	Endocrine, nutritional and metabolic diseases (E00-E90)	0.034 (2.426)	0.087*** (0.011)
Diseases of the ear (H60-H95) 86.364*** (2.818) 0.222*** (0.015) Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Diseases of the nervous system (G00-G99)	36.853 ^{***} (3.656)	0.142*** (0.019)
Diseases of the circulatory system (I00-I99) -55.405*** (1.593) -0.152*** (0.006)	Diseases of the eye (H00-H59)	-26.633*** (2.563)	-
	Diseases of the ear (H60-H95)	86.364*** (2.818)	0.222*** (0.015)
	Diseases of the circulatory system (100-199)	-55.405 ^{***} (1.593)	-0.152*** (0.006)
Diseases of the respiratory system (J00-J99) 11.808 (1.943) 0.143 (0.009)	Diseases of the respiratory system (J00-J99)	11.808*** (1.943)	0.143*** (0.009)
Diseases of the digestive system (K00-K93) -33.482*** (1.622) -0.061*** (0.007)	Diseases of the digestive system (K00-K93)	-33.482*** (1.622)	-0.061*** (0.007)
Diseases of the genitourinary system (N00-N99) -26.660*** (1.410) -0.077*** (0.006)	Diseases of the genitourinary system (N00-N99)	-26.660 ^{***} (1.410)	-0.077*** (0.006)
Pregnancy (000-099) -81.602*** (3.327) -0.211*** (0.008)	Pregnancy (000-099)	-81.602*** (3.327)	-0.211*** (0.008)
Congenital malformations (Q00-Q99) -6.162* (3.726) -0.006 (0.015)	Congenital malformations (Q00-Q99)	-6.162 [*] (3.726)	-0.006 (0.015)
Symptoms, signs (R00-R99) 2.353 (5.610) 0.001 (0.015)	Symptoms, signs (R00-R99)	2.353 (5.610)	0.001 (0.015)
Injury, poisoning (S00-T98) -9.570*** (1.732) -0.039*** (0.007)	Injury, poisoning (S00-T98)	-9.570 ^{***} (1.732)	-0.039*** (0.007)

	Model 1	Model 2
Hospital characteristics:		
Number of beds/100	5.261*** (1.232)	-0.013*** (0.005)
Number of employees/100	-0.399** (0.202)	0.001 (0.001)
Year (Reference category: 2003):		
2004	-5.053 ^{***} (0.950)	-0.016*** (0.004)
2005	-6.443 ^{***} (0.903)	-0.018*** (0.004)
2006	-5.668 ^{***} (0.874)	-0.005 (0.003)
Constant term	125.497*** (6.153)	-
Number of observations	145,050	134,069
Number of hospitals	54	54
Hospital dummies	Yes	Yes
Municipality dummies	Yes	Yes
R ² /Pseudo R ²	0.144	0.118

4. Concluding remarks.

The purpose of this paper is to illustrate how medical guidelines can be used as a method for monitoring prioritization in a public health care sector. In such systems, patients are not rationed by price. Consequently, demand exceeds supply, which results in waiting lists. Often governments in countries with public health care systems have developed expectedly welfare improving prioritization procedures. However, to our knowledge less attention has been devoted to developing methods that may inform on the actual prioritization of patients as compared to prevailing administrative regulations.

The method we propose is to use medical guidelines and allocate ICD-codes to the medical descriptions, which enables us to compare actual waiting times to the recommended maximum waiting times. Using medical guidelines as a tool for monitoring prioritization implies that length of medically accepted waiting time signals prioritization. Furthermore, the method is relatively inexpensive in use, as it uses data from already existing data sources.

To illustrate how the methods work, we provide an application, based on data from the Norwegian patient register (NPR) covering inpatient treatment in all major (public) hospitals in Norway. Specifically we examine whether patients belonging to different prioritization groups ordered by medically maximum acceptable waiting times wait shorter or longer than recommended. Our results indicate that patients suffering from the most severe conditions are under-prioritized in the Norwegian health care sector relative to patients of higher priority. There are several possible explanations for this prioritization practice.

First, there may have been too much focus on bringing down waiting times ¹⁰. Health authorities and enterprises may have been too much concerned with this issue, thus putting effort into reducing average waiting times for each hospital unit. Objectives concerning reduction in waiting time are more easily met by focusing on patient groups that have at the outset long waiting times, since it is easer to make quantitatively larger gains in registered waiting times among these patients.

Second, the financial situation of the health enterprises may also explain the observed waiting list development. The health authorities are financed partly by activity based DRG prices, partly by block grants. With activity based finance there are incentives to give treatment to patients where the DRG price is relatively high compared to costs. It is possible that this would more frequently be the case for patients with diagnoses of lower priority. It will be the purpose of future research to look further into the effect of the finance system.

On the other hand, our result concerning prioritization practices may be due to improvement in treatment potentials for lower prioritized patients without affecting highly prioritized patients negatively. For lower prioritized patients, treatment capacity may be easier to provide, and treatment may also have become relatively less expensive for these groups. For highly prioritized patients, which often suffers form more serious illnesses, changes on treatment technology and possibilities are likely to occur at a slower pace. Thus, there may be relevant factors which we have not been able to control for in this study.

In further work emphasis will be put on refining the guidelines and grouping of patients. Next we will include more external factors that are of importance for hospital behaviour, not least variables related to their payment systems.

¹⁰ Waiting times have in general been reduced over time, which will of course be considered as desirable. This was also a political objective during the period in question.

References

- Appleby J., Boyle S., Devlin N, Harley M., Harrison A., Thorlby R. (2005) «Do English NHS waiting times targets distort treatment priorities in orthopaedics?» *Journal of Health Service Research Policy*, 10:167–172
- Arellano M., Honore B. (2001) «Paned Data Models: Some Recent Developments», in Leamer E and Heckman J, eds., *Handbook of Econometrics*, Volume 5, Amsterdam, North Holland, 3229–3296.
- Arnesen K.E., Erikssen J., Stavem K. (2002) «Gender and socioeconomic status as determinants of waiting time for inpatient surgery in a system with implicit queue management». *Health Policy*; 62: 329–41
- Askildsen JE, Holmås TH, Kaarbøe O, 2007. *Prioriteringspraksis før og etter sykehusreformen.* Rapport i forbindelse med NFRs Resultatevalueringen av sykehusreformen. HEB-report 05/07. Rokkan Centre [Prioritization and patients' rights: Analysing the effect of a reform in the Norwegian Hospital Sector. Mimeo 2007].
- Dimakou S., David P., Devlin N., Appleby J. (2008) *Identifying the impact of government targets on waiting times in the NHS. Health Care Management Science*, forthcoming.
- Gravelle H., Siciliani L. (2008) «Is waiting-time prioritisation welfare improving?» *Health Economics* 17(2): 167–184.
- Greene W. (2002) The behaviour of the fixed effects estimator in nonlinear models. NYU Workin paper No EC-02-05. Department of Economics, Stern School of Business, New York University.
- Hagen T.P., Kaarbøe O. (2006) «The Norwegian hospital reform of 2002: central government takes over ownership of public hospitals». *Health Policy* 76 (3): 320–33.
- Hurst J., Siciliani L. (2005) «Tackling excessive waiting times for elective surgery: a comparison of policies in 12 OECD countries». *Health Policy* 72(2): 201–215.
- Kjerstad E., Kristiansen F. (2005) Free choice, waiting time and length of stay in Norwegian hospitals. Working paper, University of Bergen.
- Magnussen J., Hagen T.P., Kaarbøe O. (2007) «Centralized or decentralized? A case study of Norwegian hospital reform». Social Science & Medicine 64: 2129–37.
- Nordheim O.F. (2005) Praktisering av prioriteringsforskriften i Helse Vest. Report to Health Region West. University of Bergen. [Practising the administrative regulation on prioritization in Health Region West].
- Sveri T. (2006) Prioritering innen spesialisthelsetjenesten om utarbeiding av faglige veiledere for tildeling av rett til nødvendig helsehjelp. [Prioritization within the specialized health care sector. The process of developing medical guidelines]. Report to the Directorate of Health. Rokkan Centre.
- Vrangbæk K., Ostergren K, Birk H.O., Winblad U. (2007) «Patients' reactions to hospital choice in Norway, Denmark and Sweden». *Health Economics, Policy and Law* 2: 125–152.

WORKING PAPERS ROKKANSENTERET (ISSN 1503-0946)

The publications can be ordered from Rokkansenteret, phone: +47 55 58 97 10, e-mail: post@rokkan.uib.no, www.rokkansenteret.uib.no

	2008
1-2008	Tom Christensen and Per Lægreid: «Living in the past? – tenure and attitudes in the central civil service». January 2008.
2-2008	<i>Jan-Kåre Breivik og Bodil Ravneberg:</i> «Rom for refleksjon. Kirkens Bymisjon og oppfølging av bostedsløse». April 2008.
3-2008	<i>Hans-Erik Ringkjøb og Jacob Aars:</i> «Får vi også vere med? Om kvinner i norsk lokalpolitikk». Mai 2008.
4-2008	Anne Lise Fimreite og Per Lægreid: «Byråkrati og partnerskap hånd i hånd? Om samordningsutfordringer i NAV». Mai 2008.
5-2008	Ole Johnny Olsen: «Institusjonelle endringsprosesser i norsk fag- og yrkesutdanning. Fornyelse eller gradvis omdannelse?» Mai 2008.
6-2008	Anne Lise Fimreite and Per Lægreid: «Reorganizing the Welfare State Administration. May 2008.
7-2008	Tom Christensen and Per Lægreid: «Administrative Reforms and Competence in Central Government Organizations». June 2008.
8-2008	Svanaug Fjær: «Nordisk samfunnsvitenskaplig forskning om alkohol og narkotika. Utviklingstrekk og endringer i alliansen mellom kunnskapsproduksjon og politikk». Juni 2008.
9-2008	Jill Loga: «Kunsten å balansere mellom kreativitet og psykisk helsearbeid. Evaluering av Galleri VOX/Vågsbunnen Fellesatelier». Juni 2008.
10-2008	Jostein Askim, Tom Christensen, Anne Lise Fimreite, Per Lægreid: «Challenges and effects of administrative reform – Reorganizing the Norwegian welfare administration». August 2008.
11-2008	Jostein Askim, Tom Christensen, Anne Lise Fimreite, Per Lægreid: «Implementation of Merger: Lessons from the Norwegian Welfare Bureaucracy». August 2008.
12-2008	Lise Hellebø Rykkja: «Flernivåperspektiv og krisehåndtering». Oktober 2008.
13-2008	Tom Christensen and Per Lægreid: «Scope, effects and driving forces». November 2008.
14-2008	Anne Lise Fimreite: «Mission impossible made possible? – Tenkning og argumentasjon bak partnerskapet mellom stat og kommune i NAV». Desember 2008.
15-2008	<i>Knut Grove</i> : «One Landscape – Differing Eyes. The Interface of the Past for the Future in the Norwegian Fjord Landscape». December 2008.
16-2008 17-2008	Knut Grove: «Det kulturelle Hardanger. Hardingen, regionen og fellesskapa. Desember 2008. Jan-Erik Askildsen, Oddvar Kaarbøe and Tor Helge Holmås: «Monitoring prioritization in a public health care sector». December 2008.

1-2007	Kari Ludvigsen og Svanaug Fjær: «Varig bolig framfor hospits». Februar 2007.
2-2007	Kari Ludvigsen og Reidun Faye: «Botilbud for ressurskrevende brukere innen lokal
	helsetjeneste i omstilling. Evaluering av prøveprosjektet Bufellesskapet Vik i Jondal
	kommune». May 2007.
3-2007	Tom Christensen and Per Lægreid: «NPM and Beyond – Leadership, Culture, and
	Demography». June 2007.
4-2007	Tord Skogedal Lindén: «Unearthing a European Union Family Policy. The Impact of Social
	Protetction Policies». August 2007.

- **5 -2007** *Tom Christensen and Per Lægreid*: «The Challenge of Coordination in Central Government Organizations». October 2007.
- 6-2007 Tom Christensen and Per Lægreid: « The Regulatory Orthodoxy in practice» November 2007
- 7-2007 Hilde Randi Høydal« Samordning av samfunnssikkerhet i norsk sentralforvaltning» November 2007
- **8-2007** *Tom Christensen, Anne Lise Fimreite and Per Lægreid:* « Crisis management The Case of Internal Security in Norway. » December 2007
- **9-2007** Torkel Grahm Haga: «Myten om et integrert tilsyn; en studie av Mattilsynets etablering og drift» Desember 2007.

- 1-2006 Martin Byrkjeland: Høgare utdanningstilbod på Vestlandet og i Agder-fylka. May 2006.
- **2-2006** *Svanaug Fjær*: «Dagsverket lavterskel arbeidstilbud for rusavhengige. Evalueringsrapport». June 2006.
- **3-2006** *Birgit Skjelbred-Knudsen Valde*: «Norsk anti-korrupsjonspolitikk svar på behov eller utløst av en internasjonal trend». June 2006.
- **4-2006** *Håkon Høst*: «Kunnskapsstatus vedrørende rekruttering og utdanning til pleie- og omsorgstjenestene i nordiske land». June 2006.
- **5-2006** *Ingrid Helgøy, Sturla Herfindal og Torgeir Sveri*: «Undersøkelse av hovedfags- og masterstudenters gjennomføring og vurdering av studiesituasjonen». Juni 2006.
- **6-2006** *Tom Christensen and Per Lægreid:* «The whole-of-government approach regulation, performance, and public-sector reform». August 2006.
- **7-2006** *Martin Byrkjeland:* «Kortare arbeidstid Eit oversyn over diskusjonen om arbeidstidsforkortingar i Noreg 1880–2006». August 2006.
- **8-2006** *Even Nilssen:* «The EU Fight Against Poverty and Social Exclusion. Activation, Targeting and the Sustainability of the Welfare State». November 2006.
- 9-2006 Merethe Mæland Bertelsen: «Omorganisering av konkurransetilsynet». November 2006.
- **10-2006** *Rune Ervik*: «European Pension Policy Initiatives and National Reforms: Between Financial Sustainability and Adequacy». December 2006.
- 11-2006 Kaia Christina I. Grahm-Haga: «Utvikling av forvaltningsrevisjon i Norge». December 2006.
- **12-2006** *Tom Christensen and Per Lægreid*: «Modern Regulatory Agencies Professional and Judicial Objectivity or Increased Complexity in Decision-Making?». December 2006.
- **13-2006** *Per Lægreid, Paul G. Roness and Kristin Rubecksen:* «Modern Management Tools in Norwegian State Agencies: Regulation Inside Government or Shopping Basket?». December 2006.
- **14-2006** *Tom Christensen, Anne Lise Fimreite and Per Lægreid:* «Reform of the Employment and Welfare Administrations the Challenges of Co-ordinating Diverse Public Organisations». December 2006.

- **1-2005** *Ivar A. Lima og Agnete Vabø*: «Instituttstruktur og fakultetsorganisering ved HF-fakultetet, Universitetet i Bergen». May 2005.
- 2-2005 Dag Arne Christensen og Jacob Aars: «Modalen: Fra off-road til on-line på 25 år». May 2005.
- 3-2005 Nanna Kildal: «Fra arbeidsbegrepets historie: Aristoteles til Marx». May 2005.
- **4-2005** *Per Lægreid, Paul G. Roness and Kristin Rubecksen:* «Autonomy and Control in the Norwegian Civil Service: Does Agency Form Matter?». September 2005.
- **5-2005** *Per Lægreid, Paul G. Roness and Kristin Rubecksen:* «Regulating Regulatory Organizations: Controlling Norwegian Civil Service Organizations». September 2005.
- 6-2005 Tom Christensen and Per Lægreid: «Regulatory Reforms and Agencification». November 2005.
- **7-2005** Anne Lise Fimreite and Per Lægreid: «Specialization and Coordination: Implications for Integration and Autonomy in a Multi-Level System». November 2005.
- **8-2005** *Per Lægreid, Paul G. Roness and Kristin Rubecksen:* «Performance Management in Practice The Norwegian Way». November 2005.

- **9-2005** *Stig Helleren:* «Omstilling i Arbeidstilsynet: Tilsynsmeldingens konsekvenser for strategi og organisering». November 2005.
- **10-2005** *Per Lægreid, Runolfur Smari Steinthorsson and Baldur Thorhallsson:* «Europeanization of Nordic Central Governments: Towards a Transnational Regulatory State?». November 2005.
- 11-2005 *Kari Ludvigsen and Kari Tove Elvbakken*: «The Public, the Mother and the Child. Public Health Initiatives Promoting the Strong and Happy Child Focusing on Food and Mental Health». December 2005.
- **12-2005** *Rune Ervik and Ingrid Helgøy*: «Overcoming the Barrieres and Seizing the Opportunities for Active Ageing in Norway: Report from an Expert Panel Meeting». December 2005.
- 13-2005 Ingrid Helgøy: «Active Ageing and the Norwegian Health Care System». December 2005.
- **14-2005** *Martin Byrkjeland og Knut Grove:* «Perspektiv på bygdeutvikling». December 2005.
- **15-2005** *Haldor Byrkjeflot:* «The Rise of a Healthcare State? Recent Healthcare Reforms in Norway». December 2005.
- **16-2005** *Monica Skjøld Johansen:* «Penga eller livet? Lederutfordringer i det reformerte norske sykehusvesenet». December 2005.
- 17-2005 *Kirsti Malterud, Kari Tove Elvbakken og Per Solvang*: «Helsekameratene. Gruppe for flerfaglig forskning om helse og sykdom i kulturelt perspektiv, Universitetet i Bergen 1999–2005». December 2005.

- **1-2004** Dag Olaf Torjesen and Hallgeir Gammelsæter: «Management Between Autonomy and Transparency in the Enterprise Hospital». January 2004.
- **2-2004** *Haldor Byrkjeflot and Simon Neby:* «The Decentralized Path Challenged? Nordic Health Care Reforms in Comparison». January 2004.
- **3-2004** *Tom Christensen and Per Lægreid:* «The Fragmented State the Challenges of Combining Efficiency, Institutional Norms and Democracy». March 2004.
- **4-2004** *Morten Dyrdal:* «Europeisering av tilsynsmyndigheter i Norge og Sverige». Mars 2004.
- **5-2004** *Karsten Vrangbæk and Katarina Østergren:* «The Introduction of Choice in Scandinavian Hospital Systems. Arguments and Policy Processes in the Danish and the Norwegian Case». March 2004.
- 6-2004 *Marit Tjomsland*: «Internationalization at Norwegian Universities and Colleges after the Quality Reform». April 2004. The Globalization Program.
- **7-2004** Hans-Tore Hansen, Anne Hege Trædal-Henden, Olaf Jürgens and Wolfgang Voges: «Poverty among Households with Children: A Comparative Study of Lone Parents and Couples with Children in Norway and Germany». April 2004.
- **8-2004** Renate Storetvedt Lien og Arnhild Taksdal «Integrering av kjønnsperspektiv i offentlig tjenesteproduksjon og planlegging». Mai 2004.
- **9-2004** *Ingrid Helgøy og Synnøve Serigstad:* «Tilsyn som styringsform i forholdet mellom staten og kommunene». May 2004.
- **10-2004** *Morten Dyrdal*: «Legemiddeltilsyn og europeisering». September 2004.
- **11-2004** *Bodil Ravneberg:* «Økonomiske insentiv i arbeidslinjen, virker det? Evaluering av forsøksordning med kvalifiseringsstønad i «Prosjektet Amalie» i Åsane». October 2004.
- **12-2004** *Per Lægreid and Synnøve Serigstad:* «Organizing for Homeland Security: The Case of Norway». November 2004.
- **13-2004** *Ivar Bleiklie:* «Institutional Conditions and the Responsibilities of Universities». November 2004
- 14-2004 Lise Hellebø: «Food Safety at Stake the Establishment of Food Agencies». November 2004.
- **15-2004** *Katarina Østergren:* «The Institutional Construction of Consumerism. A Study of Implementing Quality Indicators». November 2004.
- **16-2004** *Ingrid Helgøy and Anne Homme:* «Governance in Primary and Lower Secondary Education. Comparing Norway, Sweden and England». November 2004.
- 17-2004 *Tom Christensen, Per Lægreid and Inger Marie Stigen:* «Performance Management and Public Sector Reform: The Norwegian Hospial Reform». December 2004.

- **18-2004** *Tom Christensen and Per Lægreid*: «Regulatory Agencies The Challenges of Balancing Agency Autonomy and Political Control». December 2004.
- **19-2004** Dag Arne Christensen: «Velferdsstat, rettighetslovgivning og lokalt selvstyre». Desember 2004.
- **20-2004** *Kristin Rubecksen:* «Civil Service Organizations in Norway: Organizational Features and Tasks». December 2004.
- **21-2004** *Kjell Erik Lommerud, Odd Rune Straume and Lars Sørgard:* «National Versus International Mergers in Unionised Oligopoly». December 2004. The Globalization Program.
- **22-2004** *Birte Folgerø Johannessen*: «Ledelse og evidens i det psykiske helsevernet, konsekvenser for kunnskapsforståelse og organisering». December 2004.
- 23-2004 Jacob Aars og Svein Kvalvåg: «Politiske uttrykksformer i en bykontekst». December 2004.
- **24-2004** *Ingrid Helgøy:* «Active Ageing in the Labour Market. Country Report Norway». December 2004.
- **25-2004** *Torgeir Sveri*: «Strukturer og reformer. En kvalitativ analyse av reformen «Enhetlig ledelse» sett i lys av sykehusets arbeidsorganisering». December 2004.
- **26-2004** *Stig Helleren:* «Arbeidstilsynets rollekonflikt: Vekslende tilsynsstrategier mellom kontroll og veiledning». December 2004.
- **27-2004** *Kjell Erik Lommerud, Frode Meland and Odd Rune Straume*: «Globalisation and Union Opposition to Technological Change». December 2004. The Globalization Program.
- **28-2004** Frode Meland: «A Union Bashing Model of Inflation Targeting». December 2004. The Globalization Program.

- **1-2003** *Tom Christensen og Per Lægreid:* «Politisk styring og privatisering: holdninger i elitene og befolkningen». March 2003.
- **2-2003** *Ivar Bleiklie, Per Lægreid and Marjoleine H. Wik:* «Changing Government Control in Norway: High Civil Service, Universities and Prisons». March 2003.
- **3-2003** Badi H. Baltagi, Espen Bratberg and Tor Helge Holmås: «A Panel Data Study of Physicians' Labor Supply: The Case of Norway». March 2003. HEB.
- **4-2003** *Kjell Erik Lommerud, Frode Meland and Lars Sørgard*: «Unionised Oligopoly, Trade Liberalisation and Location Choice». March 2003. The Globalization Program.
- 5-2003 Lise Hellebø: «Nordic Alcohol Policy and Globalization as a Changing Force». April 2003.
- **6-2003** *Kim Ove Hommen:* «Tilsynsroller i samferdselssektoren». April 2003.
- **7-2003** *Tom Christensen and Per Lægreid:* «Trust in Government the Significance of Attitudes Towards Democracy, the Public Sector and Public Sector Reforms». April 2003.
- **8-2003** *Rune Ervik*: «Global Normative Standards and National Solutions for Pension Provision: The World Bank, ILO, Norway and South Africa in Comparative Perspective». April 2003. The Globalization Program.
- 9-2003 Nanna Kildal: «The Welfare State: Three Normative Tensions». May 2003.
- 10-2003 Simon Neby: «Politisk styring og institusjonell autonomi tre illustrasjoner». May 2003.
- 11-2003 *Nina Berven:* «Cross National Comparison and National Contexts: Is what we Compare Comparable?». July 2003. The Globalization Program.
- **12-2003** *Hilde Hatleskog Zeiner:* «Kontrollhensyn og kontrollpraksis. En studie av Food and Veterinary Office (FVO)». August 2003.
- 13-2003 Nanna Kildal: «Perspectives on Policy Transfer: The Case of the OECD». August 2003.
- **14-2003** *Erik Allardt:* «Two Lectures: Stein Rokkan and the Twentieth Century Social Science». «Den sociala rapporteringens tidstypiska förankring». September 2003.
- **15-2003** *Ilcheong Yi:* «The National Patterns of Unemployment Policies in Two Asian Countries: Malaysia and South Korea». September 2003. The Globalization Program.
- 16-2003 Dag Arne Christensen: «Active Ageing: Country Report Norway». November 2003.
- 17-2003 Kim Ove Hommen: «Tilsynspolitikk i Norge: Utflytting og autonomi». November 2003.
- 18-2003 Dag Arne Christensen, Rune Ervik and Ingrid Helgøy: «The Impact of Institutional Legacies on Active Ageing Policies: Norway and UK as Contrasting Cases». December 2003.

- **19-2003** Ole Frithjof Norheim og Benedicte Carlsen: «Legens doble rolle som advokat og portvakt i Fastlegeordningen. Evaluering av fastlegeordningen». December 2003. HEB.
- **20-2003** *Kurt R. Brekke og Odd Rune Straume:* «Pris- og avanseregulering i legemiddelmarkedet. En prinsipiell diskusjon og en vurdering av den norske modellen». Desember 2003. HEB.
- **21-2003** *Per Lægreid, Vidar W. Rolland, Paul G. Roness and John-Erik Ågotnes:* «The Structural Anatomy of the Norwegian State 1947–2003». December 2003.
- **22-2003** *Ivar Bleiklie, Haldor Byrkjeflot and Katarina Östergren:* «Taking Power from Knowledge. A Theoretical Framework for the Study of Two Public Sector Reforms». December 2003. ATM.
- **23-2003** *Per Lægreid, Ståle Opedal and Inger Marie Stigen:* «The Norwegian Hospital Reform Balancing Political Control and Enterprise Autonomy». December 2003. ATM.
- **24-2003** *Håkon Høst*: «Kompetansemåling eller voksenutdanning i pleie- og omsorgsfagene? Underveisrapport fra en studie av pleie- og omsorgsutdanningene». December 2003.
- **25-2003** *Kjell Erik Lommerud, Odd Rune Straume and Lars Sørgard:* «Downstream merger with upstream market power». The Globalization Program. December 2003.
- 26-2003 Ingrid Drexel: «Two Lectures: The Concept of Competence an Instrument of Social and Political Change». «Centrally Coordinated Decentralization – No Problem? Lessons from the Italian Case». December 2003.

- **1-2002** *Håkon Høst:* «Lærlingeordning eller skolebasert utdanning i pleie- og omsorgsfagene?». April 2002.
- **2-2002** *Jan-Kåre Breivik, Hilde Haualand and Per Solvang:* «Rome a Temporary Deaf City! Deaflympics 2001». June 2002.
- **3-2002** *Jan-Kåre Breivik, Hilde Haualand og Per Solvang:* «Roma en midlertidig døv by! Deaflympics 2001». June 2002.
- **4-2002** *Christian Madsen:* «Spiller det noen rolle? om hverdagen på nye og gamle sykehjem». June 2002.
- **5-2002** *Elin Aasmundrud Mathiesen*: «Fritt sykehusvalg. En teoretisk analyse av konkurranse i det norske sykehusmarkedet». June 2002. HEB.
- 6-2002 Tor Helge Holmås: «Keeping Nurses at Work: A Duration Analysis». June 2002. HEB.
- **7-2002** *Ingvild Halland Ørnsrud:* «Mål- og resultatstyring gjennom statlige budsjettreformer». July 2002.
- 8-2002 Torstein Haaland: «Tid, situasjonisme og institusjonell utakt i systemer». July 2002.
- **9-2002** *Kristin Strømsnes:* «Samspillet mellom frivillig organisering og demokrati: Teoretiske argument og empirisk dokumentasjon». August 2002.
- **10-2002** *Marjoleine Hooijkaas Wik:* «Mangfold eller konformitet? Likheter og forskjeller innenfor og mellom fem statlige tilknytningsformer». August 2002.
- **11-2002** *Knut Helland*: «Den opprinnelige symbiosen mellom fotball og presse». September 2002.
- **12-2002** *Nina Berven:* «National Politics and Global Ideas? Welfare, Work and Legitimacy in Norway and the United States». September 2002. The Globalization Program.
- **13-2002** *Johannes Hjellbrekke:* «Globalisering som utfordring til samfunnsvitskapane». September 2002. Globaliseringsprogrammet.
- **14-2002** *Atle Møen:* «Den globale produksjonen av symbol og kunnskap. Verdsflukt og verdsherredømme». September 2002. Globaliseringsprogrammet.
- **15-2002** *Tom Christensen and Per Lægreid:* «Complex Patterns of Interaction and Influence Among Political and Administrative Leaders». October 2002.
- **16-2002** *Ivar Bleiklie:* «Hierarchy and Specialization. On Institutional Integration of Higher Education Systems». Oktober 2002.
- **17-002** *Per Lægreid, Runolfur Smari Steinthorsson and Baldur Thorhallsson*: «Europeanization of Public Administration: Effects of the EU on the Central Administration in the Nordic States». November 2002.
- **18-2002** *Tom Christensen and Per Lægreid*: «Trust in Government the Relative Importance of Service Satisfaction, Political Factors and Demography». November 2002.

- **19-2002** *Marit Tjomsland:* «Arbeidsinnvandringssituasjonen i Norge etter 1975». November 2002. Globaliseringsprogrammet.
- **20-2002** *Augustín José Menéndez m.fl.:* «Taxing Europe. The Case for European Taxes in Federal Perspective». December 2002. The Globalization Program.
- **21-2002** *Fredrik Andersson and Kai A. Konrad*: «Globalization and Risky Human Capital Investment». December 2002. The Globalization Program.
- **22-2002** *Fredrik Andersson and Kai A. Konrad*: «Human Capital Investment and Globalization in Extortionary States». December 2002. The Globalization Program.
- **23-2002** *Anne Lise Fimreite, Yngve Flo og Jacob Aars*: «Generalistkommune og oppgavedifferensiering. Tre innlegg». December 2002.
- **24-2002** *Knut Grove*: «Frå privat initiativ til kommunalt monopol. Lysverk, sporvegar og renovasjon i Bergen og Oslo 1850–1935». December 2002.
- **25-2002** *Knut Grove*: «Mellom 'non-intervention' og 'samfundsvillie'. Statleg og kommunal regulering av økonomisk verksemd i Norge på 1800-talet». December 2002.
- **26-2002** *Dag Arne Christensen*: «Hovedtyper av valgordninger. Proporsjonalitet eller politisk styring?». December 2002.
- 27-2002 *Jan Erik Askildsen, Badi H. Baltagi and Tor Helge Holmås:* «Will Increased Wages Reduce Shortage of Nurses? A Panel Data Analysis f Nurses' Labour Supply». December 2002. HEB.
- **28-2002** *Sturla Gjesdal, Peder R. Ringdal, Kjell Haug and John Gunnar Mæland:* «Medical Predictors of Disability Pension in Long-Term Sickness Absence. December 2002. HEB.
- **29-2002** Dag Arne Christensen og Jacob Aars: «Teknologi og demokrati. Med norske kommuner på nett!». December 2002.
- **30-2002** *Jacob Aars:* «Byfolk og politikk. Gjennomgang av data fra en befolkningsundersøkelse i Bergen, Oslo og Tromsø». December 2002.
- **31-2002** *Hjørdis Grove:* «Kommunaliseringsprosessen i Århus 1850–1940». December 2002.